



Maximize productivity with the HP Designjet 4500 Printer series: Large input and output capacity for unattended printer operation plus optional high performance scanning/copying make it the ideal color production system for technical applications.



**Double your print capacity <sup>1</sup>**

**Double Swath Technology - twice the performance in color and black and white.**<sup>1</sup> Two long-life HP printheads for each color deliver a wide print swath and a higher firing frequency that enables fast printing. Get 2 D/A1-size prints in color and black and white in less than 1 minute<sup>2</sup> The embedded processor delivers fast, simultaneous processing and printing up to 100 D/A1-size prints per hour.<sup>3</sup>

**Efficient multi-file printing.** Save time with the driverless multi-file printing solution that is operating system independent and simply requires a network connection and a standard Web browser. Experience support for a wide range of formats, including TIFF, JPEG, CALS/G4, HP-RTL, HP-GL/2, and Adobe® PostScript Level 3 and PDF 1.5 to help you quickly and efficiently finish any job.

**Efficient processing.** Experience fast, simultaneous processing thanks to the embedded processor. This robust series comes with 256 MB of memory that can be expanded up to 512 MB for improved performance on even your most complex jobs.

**Integrated solution**

**Copy system.** The integrated copy system of the HP Designjet 4500 series provides realtime printer, media, and queue information in the Embedded Web Server interface along with copy accounting in the printer, and advanced copy capability.

**Fast print and scan performance.** With scan speed of 3 inches per second and 10 inches per second black and white, 2 D/A1-size prints in less than 1 minute<sup>2</sup>, and excellent image quality (508 dpi optical resolution) the Designjet 4500mfp delivers outstanding copy and scan performance.

**Efficient management and extended accounting support.** The HP Designjet 4500 series comes with the HP Embedded Web Server, which allows you to manage printer, ink, and media usage. Plus, you can generate usage reports by job, user, project, or even type of print job and send them for remote usage tracking or easy and efficient management.

<sup>1</sup>HP Designjet 4500/1000 Printer series  
<sup>2</sup>Maximum printer speed:  
<sup>3</sup>Maximum copy speed



- 1.** Ink supplies of 225 and 400 ml for CMY, and 400 and 775ml for K.
- 2.** Accommodates 2 media rolls with long roll support up to 575 ft/ 175m.
- 3.** Front panel with user friendly animations.
- 4.** Color consistency and screen-to-print matching with HP Professional Color technologies.
- 5.** Pairs of staggered printheads in the carriage mean the HP



"With the Designjet 4500 you don't need to constantly check on the printer, instead you can do something else. We easily save 6 to 12 hours a week because of this."

John Jury,  
Director, Reprograffix

## Full flexibility from the HP Designjet 4500 Printer series



HP Designjet 4500/4500ps printer



HP Designjet 4500/4500ps printer + optional stacker



HP Designjet 4500mfp



HP Designjet 4500mfp + optional stacker



### More functionality with the HP Designjet 4500mfp

With scan speed of 3 inches per second color and 10 inches per second black and white, 2 D/A1-size prints in less than 1 minute (\*), and excellent image quality (508 dpi optical resolution), the HP Designjet 4500 Printer series delivers outstanding copy and scan performance.

The Designjet's integrated copy system features realtime printer, media, and queue info in the scanner user interface, copy accounting in the printer, and copy job priority capability.

Integration with the printer enables excellent copy quality and performance.

An easy-to-use touch screen, easy color calibration, and easy print settings for printing sets make scanning and copying exceptionally user friendly.

It is easy to integrate with a wide variety of industry leading third-party applications such as scan, raster-to-vector-conversion or document management.

\* Mechanical printing time. Printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed.

### HP Designjet 4500 Stacker (optional)

The HP Designjet 4500 Stacker collects up to 200 D/A1 or E/A0 size plots and automatically flattens them, keeping them organized until you can gather them. Print unattended runs during business hours—and get more done—or overnight.

Free up production staff to work on multiple projects at once. The HP Designjet 4500 Stacker handles large black-and-white or color jobs without intervention. Unattended printing allows users to get more done.

Save time and collect your valuable, high-impact output as it prints with the HP Designjet 4500 Stacker. When you're ready to gather your output, it will be organized and waiting for you.

Neatly and cleanly collects all sizes and weights of printable media supported by the HP Designjet 4500 Printer series\*, including HP Universal Inkjet Bond paper, HP Super Heavyweight Plus Matte Paper, and HP Universal Instant-dry Photo Media.

\* Stacker performance may vary depending on the media used.

# HP Designjet 4500 Printer series

## Technical specifications

<b>Print speed</b>	25 sec D/A1-size n, 93 sqm/hour e, 1000 sqft/hour e, up to 100 D/A1-size prints per hour e
<b>Resolution, maximum</b>	Up to 2400 x 1200
<b>Line accuracy</b>	+/- 0.1%
<b>Print margins</b>	0.2 in/5 mm (Small); 0.45 in/11.5 mm (Normal); 2.1 in/55 mm (Extended)
<b>Printer media</b>	0.2 in/5 mm (Small & Normal); 2.1 in/55 mm (Extended)
<b>Printer media</b>	0.2 in/5 mm (Small & Normal); 0.6 in /15 mm (Extended)
<b>Printer media</b>	Thickness (by paper path)
<b>Printer media</b>	Weight (by paper path)
<b>Printer media</b>	Size
<b>Printing</b>	All paths: up to 0.157 in/0.4 mm
<b>Printing</b>	All paths: 0.11 to 0.72 lb/50 to 328 g/m <sup>2</sup>
<b>Printing</b>	Rolls up to 42 in/1067 mm wide
<b>Printing</b>	HP Thermal Inkjet
<b>Printing</b>	HP Color Layering technology, HP PhotoREt III
<b>Printing</b>	Black, cyan, magenta, yellow
<b>Printing</b>	Black pigmented, CMY dye based
<b>Printing</b>	5 pl color, 15 pl black
<b>Scanning</b>	Color (200 dpi): 3in/sec (76mm/sec); Black & white (200 dpi): 10in/sec (245mm/sec)
<b>Scanning</b>	Resolution
<b>Scanning</b>	Best Mode: black&white 300 x 300 dpi, color 300 x 300 dpi
<b>Scanning</b>	Draft Mode: black&white 150 x 150 dpi, color 150 x 150 dpi
<b>Scanning</b>	Normal Mode: black&white 200 x 200 dpi, color 200 x 200 dpi
<b>Scanning</b>	Enhanced Mode: black&white 2400 x 2400 dpi, with variable resolution settings from 50 dpi in increments of 1 dpi
<b>Scanning</b>	42in/1067mm
<b>Scanning</b>	0.6 in /15 mm
<b>Copying</b>	300 x 300 dpi
<b>Copying</b>	1 to 10,000%
<b>Copying</b>	99
<b>Copying</b>	Type of original, image crop and align preview, lightness, saturation and RGB controls, sharpen/blur, mirror copy, enlarge/reduce, paneling, tiling, nesting, and accounting
<b>Copying</b>	256 MB (upgradeable to 512 MB), 40 GB hard disk
<b>Memory</b>	Two automatic rolls, automatic roll-switching, automatic cutter
<b>Media Handling</b>	Straight-through scan paper path for sheet and cardboard originals, output basket
<b>Media Handling</b>	Printers
<b>Media Handling</b>	Scanner
<b>Media Types</b>	Paper (plain, inkjet, coated, heavyweight coated, super heavyweight coated, semi-gloss, glossy, translucent bond, natural tracing, photo, vellum), film.
<b>Media Types</b>	Non-abrasive paper, vellum, mylar, sepia, blueprints, plastic, film, plastic laminate, foam board, cardboard, no plywood, no stone plates, no metal plates nor abrasive dirty, rough, sharp edged, metal clamped, burned surfaces
<b>Media Types</b>	Paper (plain, inkjet, coated, heavyweight coated, super heavyweight coated, semi-gloss, translucent bond, natural tracing, photo, vellum) <sup>4</sup>
<b>Connectivity</b>	1 EIO slot, embedded Jeldirect, Fast Ethernet (10/100 Mbps), FireWire (IEEE 1394a-compliant)
<b>Connectivity</b>	1 Fast Ethernet 10/100 Base-TX
<b>Connectivity</b>	HP Jetdirect 620n LAN Card, HP Jeldirect 40d Gigabit Print Server for the HP Designjet 4000 Printer series, HP Designjet 4000 Printer series Hi-speed USB 2.0 card
<b>Connectivity</b>	HP-GL/2, HP-RTL Windows drivers, PS Windows drivers (HP Designjet 4500ps & HP Designjet 4500mpf only), ADI driver for AutoCAD R14, support for AutoCAD 200x, support for Citrix MetaFrame environments, PS driver for Mac OS X v 10.2.8, 10.3, 10.4
<b>Print languages (standard)</b>	HP-GL/2, HP-RTL, TIFF, JPEG, CALS-G4
<b>Print languages (standard)</b>	Adobe PostScript Level 3, Adobe PDF 1.5, HP-GL/2, HP-RTL, TIFF, JPEG, CALS-G4
<b>Dimensions (h x d x w)</b>	76 x 31.5 x 53.2 in /1930 x 800 x 1350 mm
<b>Dimensions (h x d x w)</b>	70.8 x 40.2 x 54.3 in/1800 x 1020 x 1380 mm
<b>Dimensions (h x d x w)</b>	83.9 x 30.5 x 52 in (EMEA), 83.9 x 30.5 x 74.4 in (CA, LAR, NA, AP) / 2130 x 775 x 1320 mm (EMEA), 2130 x 775 x 1890 mm (CA, LAR, NA, AP)
<b>Dimensions (h x d x w)</b>	75.2 x 27.2 x 28.7 in /1910 x 690 x 730 mm
<b>Weight</b>	408 lb/185 kg
<b>Weight</b>	209.5 lb/95 kg
<b>Weight</b>	501.1 lb (EMEA), 600.3 lb (CA, LAR, NA, AP) /227.3 kg (EMEA), 272.3 kg (CA, LAR, NA, AP) Shipping, scanner3: 321.9 lb /76 kg
<b>What's in the box</b>	HP Designjet 4500 Printer, stand and basket assembly, Roll Module, Setup Poster, Documentation & Drivers CD, Quick Reference Guide and holder, media sample, maintenance kit, power cord, 3" spindle adaptor (4), printheads (8), printhead cleaners (8), ink cartridges (4), ink cartridge insert, ink printhead insert, Customer Service Guide
<b>What's in the box</b>	HP Designjet 4500mpf
<b>What's in the box</b>	HP Designjet 4500mpf

(1) Mechanical printing time. Printed in fast mode on HP Bright White Inkjet paper (Bond).

Speed indicated is maximum printer speed.

(2) Multi-copy printing. Printed in Fast mode on HP Bright Inkjet paper (Bond). Speed indicated is maximum printer speed.

(3) HP Designjet 4500mpf only.

(4) The HP Designjet 4500 Stacker series does not support films, including HP Clear Film and HP Matte Film or other media with long drying time

### Environmental ranges

Operating temperature	41 to 104° F/5 to 40° C
Recommended operating temperature	59 to 86° F/15 to 30° C
Storage temperature	-4 to 131° F/-20 to 55° C
Operating humidity	20 to 80% RH
Recommended humidity	25 to 75% RH

### Acoustic

Sound pressure, active	46 dB(A)
Sound pressure, standby	41 dB(A)
Sound power, active	6.3 B(A)
Sound power, standby	5.8 B(A)

### Power consumption

Maximum	500 watts, 800 watts <sup>3</sup>
---------	-----------------------------------

### Power requirements

Printers	Input voltage 100 to 127 VAC (+/- 10%), 6 amp; 220 to 240 VAC (+/- 10%), 3 amp; 50/60 Hz (+/- 3 Hz); auto range
Scanner	100 to 240 VAC (+/- 10%), auto range, 50/60 Hz, 5 amp maximum <sup>3</sup>

### Power certification

Safety certification	Compliant with IEC 60950, including EU LVD and EN60950, CSA-certified for US and Canada, Mexico NYCE, Argentina IIRAM, Singapore PSB, Russia VNIIS, NEMKO, China CCC, Taiwan BSMI
Electromagnetic compatibility	Compliant with Class A requirements, including EU (EMC Directive), US (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MoC), Japan (VCCI), Korea (MIC), Taiwan (BSMI) Yes, No <sup>3</sup>
Energy Star compliant	One-year next-business-day on-site

### Warranty

#### Service and support

Care packs

HP Designjet 4500 and 4500ps

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

HP Designjet 4500mpf

## Ordering information

### Product

O1271A	HP Designjet 4500 Printer
O1272A	HP Designjet 4500ps Printer
O1276A	HP Designjet 4500mpf

### Accessories

O5676A	HP Designjet 4500 - 42 Inch Roll Feed Spindle
O5680A	HP Designjet 4000 series High Speed USB 2.0 Card
O5673A	HP Designjet 4000 series 256 MB Memory Upgrade
O5677A	HP Designjet 4500 Stacker
J7934A	HP Jetdirect 620n LAN card
O5679A	HP Jetdirect 40d Gigabit Print Server for the Designjet 4500 series
O1277A	HP Designjet 4500 Scanner (comes as standard with HP Designjet 4500mpf)

### Ink supplies

C5054A	HP 90 Black Printhead and Cleaner
C5055A	HP 90 Cyan Printhead and Cleaner
C5056A	HP 90 Magenta Printhead and Cleaner
C5057A	HP 90 Yellow Printhead and Cleaner
C5058A	HP 90 Black Ink Cartridge, 400 ml
C5059A	HP 90 Black Ink Cartridge, 795 ml
C5060A	HP 90 Cyan Ink Cartridge, 225 ml
C5061A	HP 90 Cyan Ink Cartridge, 400 ml
C5062A	HP 90 Magenta Ink Cartridge, 225 ml
C5063A	HP 90 Magenta Ink Cartridge, 400 ml
C5064A	HP 90 Yellow Ink Cartridge, 225 ml
C5065A	HP 90 Yellow Ink Cartridge, 400 ml
C5078A	HP Black Value Pack (Printhead & Cleaner + 400 ml Ink Cartridge)
C5079A	HP Cyan Value Pack (Printhead & Cleaner + 400 ml Ink Cartridge)
C5080A	HP Magenta Value Pack (Printhead & Cleaner + 400 ml Ink Cartridge)
C5081A	HP Yellow Value Pack (Printhead & Cleaner + 400 ml Ink Cartridge)
C5082A	HP 90 Black 3-Ink Cartridge Multipack (3 x 400 ml)
C5083A	HP 90 Cyan 3-Ink Cartridge Multipack (3 x 400 ml)
C5084A	HP 90 Magenta 3-Ink Cartridge Multipack (3 x 400 ml)
C5085A	HP 90 Yellow 3-Ink Cartridge Multipack (3 x 400 ml)
C5095A	HP 90 Black 3-Ink Cartridge Multipack (3 x 400 ml)
C5096A	HP 90 Black Printhead Cleaner

### Media supplies

C6810A	HP Bright White Inkjet Bond Paper (36 in x 300 ft/914 mm x 91.4 m)
S1642B	HP Matte Film (36 in x 125 ft/914 mm x 38 m)
Q3869A	HP Natural Tracing Paper (36 in x 150 ft/914 mm x 45.7 m)
C3859A	HP Translucent Bond (36 in x 150 ft/914 mm x 45.7 m) NA, LA, AP
C6980A	HP Coated Paper (36 in x 300 ft/914 mm x 91.4 m)
C6030C	HP Heavyweight Coated Paper (36 in x 100 ft/914 mm x 30.48 m)
O1956A	HP Heavyweight Coated Paper (42 in x 225 ft/1067 mm x 68.58 m) NA & EMEA
O6576A	HP Universal Instant Dry Photo Gloss (42 in x 100 ft/1067 mm x 30.48 m)
O6581A	HP Universal Instant Dry Photo Semi-Gloss (42 in x 100 ft/1067 mm x 30.48 m)
Q3869A	HP Universal Inkjet Bond Paper (A1 - 594 mm x 915 mm) EMEA & JP
Q8002A	HP Universal Inkjet Bond Paper (36 in x 500 ft/914 mm x 152.4m)
Q8005A	HP Universal Inkjet Bond Paper (A0, 841 mm x 915 mm) EMEA & JP
O1398A	HP Universal Inkjet Bond Paper (42 in x 150 ft/1067 mm x 46.7 m) NA, EMEA, AP
O1406A	HP Universal Coated Paper (42 in x 150 ft/1067 mm x 46.7 m)
O1414A	HP Universal Heavyweight Coated Paper (42 in x 100 ft/1067 mm x 30.48 m) NA, EMEA, AP
O6627A	HP Super Heavyweight Plus Matte Paper (36 in x 100 ft/914 mm x 30.58 m) NA, EMEA, AP
O6628A	HP Super Heavyweight Plus Matte Paper (42 in x 100 ft/1067 mm x 30.48 m) NA, EMEA, AP



For more information, visit our website at

[www.hp.com/go/designjet4500](http://www.hp.com/go/designjet4500)

