

WideTEK WT25-600



Scanning Speed

Scan time, 24bit color, full bed, 300dpi	Less than 3 seconds
Scan time, 24bit color, full bed, 600dpi	Less than 6 seconds
Cycle time 300dpi, all options on	Less than 6 seconds
Cycle time 600dpi, all options on	Less than 13 seconds

Optical System

Maximum document size	635 x 470 mm / 25 x 18.5 inch
Optical resolution	1200 x 600 dpi
Scan resolution	1200 x 1200 dpi
Pixel dimensions	9.3 x 9.3 μ m
Sensor type	Two tri-color CCDs line sensors
Grayscale resolution	12 bit grayscale (internal resolution)
Color resolution	36 bit color (internal resolution)
Sensor resolution	45,000 active pixels
Scan modes	24 bit color, 8 bit grayscale, bitonal, enhanced halftone
Scan accuracy	Better than $\pm 0.1\%$ across full bed.

Illumination System

Light source:	Two linear lamps with 108 white LEDs each.
Warm-up time	None
Temperature dependency	None
UV / IR emission	None
Lamp life time	50,000 hours (typ.)

Electrical Specifications

External power supply

Input voltage	100 – 240V / 2.5A / 47 – 63 Hz
Output voltage	24 V / 6.25 A
ECO standard	CEC level V

Power Consumption

Sleep	≤ 0.5 W
Standby	2.5 W
Ready to scan	55 W
Scanning	90 W

Mechanical Dimensions

Scanner outer dimensions	222 x 760 x 795 mm (H x W x D) 8.8 x 30 x 31.3 inch
Weight of scanner	45 kg / 99 lbs.
Dimension of transport box (palette)	450 x 1000 x 1200 mm (H x W x D) 17.7 x 39.5 x 47.5 inch
Total shipping weight	79 kg / 174 lbs.

Documents Specification

Document size	635 x 470 mm, 25 x 18.5 inch
Document weight	Up to 10 kg / 22 lbs.

Ambient Conditions

Operating temperature	+5 to +40 °C / +40 to +105 °F
Storage temperature	0 to +60 °C / +32 to +140 °F
Relative humidity	20 to 80% (non-condensing)
Noise level	50 dB(A) (operating), 35 dB(A) (stand-by)

© 2012 – 2013 by Image Access GmbH, Wuppertal, Germany.

Printed in Germany. All rights reserved.

Reproduction in whole or in part in any form or medium without express written permission of Image Access is prohibited.

Scan2Net[®], WideTEK[®] and Bookeye[®] are registered trademarks of Image Access.

All other trademarks are the property of their respective owners.

Image Access reserves the right to change the described products, the specifications or documents at any time without prior notice.

For the most recent version, always check our web site www.imageaccess.de or www.imageaccess.us or the customer service portal at portal.imageaccess.de